

# Water Turbine Worksheet

## Problem

What is the problem that you are trying to solve with the design of a water turbine for a house?

## Background Knowledge

What are some things that you already know about water turbines?

- 1.
- 2.
- 3.

## Brainstorming Ideas

Before building a water turbine, engineers brainstorm many ideas for the design. Many different designs exist for water turbines. Some use blades shaped like a fan's blade with a curvature; some might be flat; some are shaped like buckets. Use the space below to record your group's brainstorming session (ideas, drawings, etc.) for the design of your turbine. Remember no idea or suggestion is "silly."

## Design

Use the space below to detail your group's final design for the water turbine. Be specific. Include drawings and dimensions as appropriate. (Note: remember to design your turbine with the blades on the end **opposite** where the hole is drilled in the wood block.)

## Testing and Analysis

Collect and record the following data at three separate heights:

	Height 1	Height 2	Height 3
Height of water above turbine			
Mass of water to be poured			
Time water was flowing over blades			
Voltage produced			

1. Calculate the potential energy of the water using  $PE = mgh$
2. Calculate the water's final velocity just before hitting the turbine blades using

$$PE = KE = \frac{1}{2}mv^2$$

3. Calculate the mass flow rate ( $\dot{m} = \frac{m}{t}$ ).
4. Calculate the theoretical power your turbine should generate using the formula  $P = \dot{m}gh$  at each height.
5. What can you conclude about the voltage produced as related to the height of the water?



- b. The mass flow rate of a flowing fluid can be calculated using the equation  $\dot{m} = Q\rho$  where Q is the volumetric flow rate ( $\text{m}^3/\text{s}$ ) and  $\rho$  is the density of the fluid (the density of water is  $1000 \text{ kg}/\text{m}^3$ ). Calculate the mass flow rate ( $\dot{m}$ ) at each location.

$$\dot{m} = Q\rho$$

- c. Calculate the power that the water could theoretically produce at each location.

$$P = \dot{m}gh, \text{ where } g=9.8 \text{ m/s}^2$$

- d. If the turbines to be used at the power plant have an operating efficiency of 91.4% what is the actual power that will be generated at each location?

- e. Calculate how much energy (in kW-hours) this turbine would produce in one year at each location.

$$E = P * t$$

- f. If the hydroelectric power plant takes 150,000 kW-hours a year to operate and this energy is produced at the plant, how much energy would be left over for your neighbors and yourself to use at each location?

- g. The government would like to have the plant produce at least 6500kW-hours of energy each year for the town's 300 residents. Based on cost and performance, at which location would your group recommend the dam be built? Explain why.
- h. Typical coal power plants can produce about 2 kW-hours of energy per kg of coal burned. How much coal must be burned to produce 6500kW-hours of energy for the town's 300 residents? If 1 kg is equal to 2.2 pounds, how many pounds of coal are burned in one year to produce 6500 kW-hours of energy for 300 people?
- i. Why would you recommend the government to build a hydroelectric dam to power this city? How would the dam affect the individuals and the environment? Write a short persuasion piece to help the government understand the advantages of a hydroelectric dam in this area.