Date:

Class:

Cost Benefit Analysis Worksheet

(Group number/name)

Instructions

- 1. Discuss with your group which material you think you want to use.
- 2. Take measurements of your container and estimate how much material you will need to purchase. You must also think of what type of seawall you are creating: mound, vertical or curved. Record choices on design sheet.
- 3. Before purchasing fill out cost benefit analysis. Determine the total cost of your first seawall iteration and the environmental impact.
- 4. Once you have filled out your paper you can bring it to the store to purchase materials.
- 5. It is time to build! Work as a team and use your materials wisely! If you need more materials add them to your ledger and then go to the store.
- 6. When you are finished, make sure your wall is dry and then move onto the second set of instructions

Cost Benefit Analysis

- Multiply total amount by cost to get total cost
- Add or subtract benefit number to get final total

First Iteration Wall Total Cost: \$_____

ITEM	COST PER AMOUNT	BENEFIT (+)	TOTAL AMOUNT	TOTAL COST (-)
Rocks	50 grams= \$15	-\$7		
Rubber	50 grams= \$10	-\$5		
Mangroves	10 popsicle sticks= \$5	+\$5		
Concrete	1 cup= \$3	0		



Wall Design

- Material 1_____
- Material 2_____
- Material 3_____
- Material 4
- Amount: _____ Amount: _____ Amount: _____ Amount: _____



Date:

Instructions

- 1. Fill your container with the correct amount of sand on one side of the wall and correct amount of water on the other side.
- 2. Trace the slope of the sand in your container on the side of the container in permanent marker. After, raise your hand and wait for the teacher to come over to test.
- 3. After the test, record your change in slope on the side by tracing it with a different colored marker. Measure the change in the slope at the greatest point of difference in centimeters. Record it on your sheet.
- 4. Reset your container and repeat these steps two more times.
- 5. Once finished, record your findings and brainstorm with team for what could be done better.

Once you have a new design planned you can get it approved by the teacher and then repeat all the steps from today and yesterday.




Brought to you by



Date:

Recording Sheet



- Draw the first line in black
- Test your wall and draw the second line in green. Graph the line on your paper. Then put sand back to original black line.
- Draw the third line in blue and test. Graph the line on your paper. Then put sand back to original black line.
- Draw the final test line in red and test. Graph the line on your paper. Then put sand back to original black line.

Now measure the amount of sand lost during each test.

1 st test	in		
2 nd test	in		Average= the sum of all
3 rd test	in		three tests divided by 3
BONUS:			
What is the ave	erage amount of sand lost during each	test?in	



Name:

Date:

Final Data

1. Multiply your average inches of sand lost for all three tests by \$5.

Average inches of sand x \$5 = _

2. Now subtract the total cost of your wall from the inches of sand lost.

Final cost of wall - cost of inches of sand lost = ____

- 3. What was the total cost? the total cost?
- 4. How much do you have left of your original \$50?
- 5. Do you think that you can create a more cost-efficient design or one that erodes less?

TRY AGAIN!

Cost Benefit Analysis #2

ITEM	COST PER AMOUNT	BENEFIT (+)	TOTAL AMOUNT	TOTAL COST (-)
Rocks	50 grams= \$15	-\$7		
Rubber	50 grams= \$10	-\$5		
Mangroves	10 popsicle sticks= \$5	+\$5		
Concrete	1 cup= \$3	0		

\$_____

- Multiply total amount by cost to get total cost
- Add or subtract benefit number to get final total

Second Iteration Wall Total Cost:



Wall Design #2



TeachEngineering.org

Brought to you by



We cho	We chose to do a			_shaped wall because:												
																-
Amoun	t of Each	Materi	al use	ed in	wall	:										
•	Material	1								Am	our	nt:				
•	Material	2								Am	our	nt:				
	Material									Am						
•	Material	4								Am	our	nt:				
						Re	cord	ding	g Sł	nee	t #2					
	יייך	:											:	-	-	-
	-															÷
	-														÷	÷
															-	Ĩ
																÷
															<u> </u>	Ī
							ļ								<u>.</u>	
							ļ								ļ	
														<u>.</u>	<u>.</u>	<u>.</u>
							ļ							ļ	ļ	
															ļ	÷
																÷
		:													<u>.</u>	÷
															÷	÷
																÷
																÷
	1 1 1						: :						÷	÷	÷ .	÷ .

- Draw the first line in black .
- Test your wall and draw the second line in green. Graph the line on your paper. Then put sand back • to original black line.
- Draw the third line in blue and test. Graph the line on your paper. Then put sand back to original black line.
- Draw the final test line in red and test. Graph the line on your paper. Then put sand back to original black line.

Now measure the amount of sand lost during each test.

1st test _____ in 2nd test _____in 3rd test _____ in

TeachEngineering.org

Average= the sum of all three tests divided by 3



Engineering a Seawall to Prevent Storm Erosion Activity - Cost Benefit Analysis Worksheet

Na	me:	Date:	Class:							
BC	BONUS: What is the average amount of sand lost during each test?in									
Fir	Final Data #2									
1.	Multiply your average inches of sand lost for all	three tests by \$5.								
	Average inches of sand x \$5 =									
2.	Now subtract the total cost of your wall from the	inches of sand lost.								
	Final cost of wall - cost of inches of sand lost =									
3.	What was the total cost?									
4.	How much do you have left of your original \$50	?								

5. Did you improve upon your design the second time, if not what do you think went wrong? If you did, what was the important change you made?

